

# Chicago Journal of Theoretical Computer Science

*The MIT Press*

Volume 1999, Article 1

*On Finding the Number of Graph Automorphisms*

ISSN 1073-0486. MIT Press Journals, Five Cambridge Center, Cambridge, MA 02142-1493 USA; (617)253-2889; [journals-orders@mit.edu](mailto:journals-orders@mit.edu), [journals-info@mit.edu](mailto:journals-info@mit.edu). Published one article at a time in L<sup>A</sup>T<sub>E</sub>X source form on the Internet. Pagination varies from copy to copy. For more information and other articles see:

- <http://mitpress.mit.edu/CJTCS/>
- <http://www.cs.uchicago.edu/publications/cjtcs/>
- <ftp://mitpress.mit.edu/pub/CJTCS>
- <ftp://cs.uchicago.edu/pub/publications/cjtcs>

The *Chicago Journal of Theoretical Computer Science* is abstracted or indexed in *Research Alert*,<sup>®</sup> *SciSearch*,<sup>®</sup> *Current Contents*<sup>®</sup>/*Engineering Computing & Technology*, and *CompuMath Citation Index*.<sup>®</sup>

©1999 The Massachusetts Institute of Technology. Subscribers are licensed to use journal articles in a variety of ways, limited only as required to ensure fair attribution to authors and the journal, and to prohibit use in a competing commercial product. See the journal's World Wide Web site for further details. Address inquiries to the Subsidiary Rights Manager, MIT Press Journals; (617)253-2864; [journals-rights@mit.edu](mailto:journals-rights@mit.edu).

The *Chicago Journal of Theoretical Computer Science* is a peer-reviewed scholarly journal in theoretical computer science. The journal is committed to providing a forum for significant results on theoretical aspects of all topics in computer science.

*Editor-in-Chief:* Janos Simon

*Consulting Editors:* Joseph Halpern, Stuart A. Kurtz, Raimund Seidel

<i>Editors:</i>	Martin Abadi	Greg Frederickson	John Mitchell
	Pankaj Agarwal	Andrew Goldberg	Ketan Mulmuley
	Eric Allender	Georg Gottlob	Gil Neiger
	Tetsuo Asano	Vassos Hadzilacos	David Peleg
	Laszló Babai	Juris Hartmanis	Andrew Pitts
	Eric Bach	Maurice Herlihy	James Royer
	Stephen Brookes	Ted Herman	Alan Selman
	Jin-Yi Cai	Stephen Homer	Nir Shavit
	Anne Condon	Neil Immerman	Eva Tardos
	Cynthia Dwork	Howard Karloff	Sam Toueg
	David Eppstein	Philip Klein	Moshe Vardi
	Ronald Fagin	Phokion Kolaitis	Jennifer Welch
	Lance Fortnow	Stephen Mahaney	Pierre Wolper
	Steven Fortune	Michael Merritt	

*Managing Editor:* Michael J. O'Donnell

*Electronic Mail:* [chicago-journal@cs.uchicago.edu](mailto:chicago-journal@cs.uchicago.edu)



graphs of bounded genus [FM80, Mil80], bounded-degree graphs [Luk82], and graphs with bounded eigenvalue multiplicities [BYGM82]). Thus, the Graph Isomorphism problem belongs to a short list of problems in NP that are suspected to be neither decidable in polynomial time nor NP-complete. In fact, the exact complexity of GI remains an open problem. For example, it is not known whether GI can be solved in randomized polynomial time or whether GI is contained in the class  $\text{NP} \cap \text{co-NP}$ .

<sup>1-2</sup> The current state of knowledge on the complexity of GI depends on the two-round interactive protocol for Graph Non-Isomorphism [GMR89], a technique that we exploit in this paper. However, even before this proof was discovered, it was suspected that GI could not be NP-complete because counting the number of graph isomorphisms has roughly the same complexity as deciding the existence of an isomorphism [Mat79]. In contrast, the counting versions of typical NP-complete problems tend to be much harder than the decision versions. The proof that counting graph isomorphisms is relatively “easy” also demonstrated a close connection between the structure of graph isomorphisms and graph automorphisms (isomorphisms between a graph and itself). The results in this paper add another link to this connection.

<sup>1-3</sup> In computational complexity theory, a function is called  $b(n)$ -enumerable<sup>1</sup> if a polynomial-time function can determine a restricted range for the function. For example, *a priori* the #GA function, which computes the number of automorphisms in a graph, may output any value from 1 to  $n!$  for a graph with  $n$  vertices. However, we will show that #GA can take on only one of  $\exp(O(\sqrt{n \log n}))$  values — i.e., we will show that #GA is  $\exp(O(\sqrt{n \log n}))$ -enumerable. The other main results in this paper show that if #GA is “easy” in the sense of enumerability, then there is a corresponding decrease in the complexity of GI. Namely:

- If #GA is polynomially enumerable, then GI can be recognized in randomized polynomial time.
- For  $\epsilon < \frac{1}{2}$ , if #GA is  $n^\epsilon$ -enumerable, then GI can be recognized in deterministic polynomial time.

<sup>1-4</sup> Currently, GI does not seem to be solvable in polynomial time using either randomized or deterministic computations. Hence, these results could also be interpreted as results on the non-enumerability of #GA.

---

<sup>1</sup>Not to be confused with recursive enumerability in recursive function theory or countable (denumerable) sets in set theory.

<sup>1-5</sup> The rest of the paper is organized as follows. In Section 2, we provide some technical background and formal definitions for the terms used in this paper. In Section 3, we construct a graph gadget that allows us to combine many instances of GI into one instance of #GA. In Sections 4 and 5, we present the results connecting the enumerability of #GA and the complexity of GI. Finally, in Section 6 we give an upper bound on the enumerability of #GA.

## 2 Preliminaries

<sup>2-1</sup> In this paper, we will work with many complexity classes. We assume that the reader is familiar with P and NP, the classes of languages recognized by deterministic and nondeterministic polynomial-time Turing machines. We will use PH to denote the Polynomial Hierarchy and R to denote the class of languages recognized by probabilistic polynomial-time Turing machines with bounded one-sided error. We refer the reader to standard references [BDG88, BDG90, Sch85] in complexity theory for explanations on the relationships among these classes.

<sup>2-2</sup> An instance of the Graph Isomorphism (GI) problem is a pair of undirected graphs  $(G, H)$ . Without loss of generality, the vertices of the graphs are indexed 1 through  $n$ . The pair  $(G, H)$  is an element of GI if there exists a bijection  $f$  from the vertices of  $G$  to the vertices of  $H$  that preserves the edge relations — i.e.,  $(u, v)$  is an edge in the graph  $G$  if and only if  $(f(u), f(v))$  is an edge in  $H$ . In this case,  $f$  is called an isomorphism between  $G$  and  $H$  and we write  $G \simeq H$ . Note that we may think of  $f$  as a permutation of the set  $\{1, \dots, n\}$ . Whereas GI is a set or, alternatively a decision problem, #GI is a function, or a counting problem. The value of the function #GI on input  $(G, H)$  is the number of isomorphisms from  $G$  to  $H$ .

<sup>2-3</sup> An instance of the Graph Automorphism (GA) problem is a single graph  $G$ . The graph  $G$  is an element of GA if  $G$  has a non-trivial automorphism — i.e., an isomorphism between  $G$  and itself other than the identity function. Analogously, the function #GA computes the number of automorphisms on  $G$ . It is often more convenient to work with GA instead of GI because the set of automorphisms of a graph forms a group under composition.

<sup>2-4</sup> Clearly, the set GI is an element of NP because an NP machine can guess a permutation and check that the permutation is indeed an isomorphism between two graphs. As we have mentioned before, GI is known to be in-

complete for NP unless the Polynomial Hierarchy collapses. The complexities of #GI, GA, and #GA can be estimated based upon their relationship to GI. For example, GA reduces to GI by a many-one polynomial-time reduction. Therefore, GA is also an element of NP and cannot be complete for NP unless PH collapses. Clearly, GI reduces to #GI because knowing the number of isomorphisms certainly tells you whether one exists. In addition, one can compare the complexities of these problems as oracles. Using the group structure of GA, one can show that  $P^{\text{GI}} = P^{\#GA} = P^{\#GI}$  [Mat79, Hof79], [KST93, Theorem 1.24]. Thus, treated as oracles for P, the problems GI, #GA and #GI have essentially the same complexity.<sup>2</sup>

2-5

The incompleteness of GI also shows that  $P^{\#GI}$  cannot contain any NP-complete problems unless PH collapses. This result sets the Graph Isomorphism problem apart from the NP-complete problems. For example, consider the satisfiability problem SAT and the corresponding counting problem #SAT, which outputs the number of satisfying assignments of a Boolean formula. SAT is, of course, NP-complete, so  $P^{\text{SAT}} = P^{\text{NP}}$ . However, #SAT is #P-complete<sup>3</sup>, and it is also known that  $P^{\#SAT}$  contains the entire Polynomial Hierarchy [Tod91]. Thus, the complexity of #SAT is much higher than the complexity SAT, whereas the complexity of #GI is at the same level as that of GI. Note that the complexity of the counting version of a problem is not necessarily a good predictor of the complexity of the decision version of the problem. For example, deciding whether a bipartite graph has a perfect matching can be done in polynomial time, but counting the number of perfect matchings in a bipartite graph is #P-complete [Val79]. However, since the counting versions of natural NP-complete problems are #P-complete, the observation that  $P^{\text{GI}} = P^{\#GI}$  nevertheless suggests that GI is not NP-complete.<sup>4</sup> This observation was interpreted by many authors as “evidence” that GI might not be NP-complete before the incompleteness of GI was proven [Hof79].

2-6

Returning to graph automorphisms, we note that the value of #GA( $G$ ) has several special properties. First, #GA( $G$ ) must range from 1 to  $n!$  be-

<sup>2</sup>Of course,  $P^{\text{GA}} \subseteq P^{\#GA}$ , but whether  $P^{\#GA} \subseteq P^{\text{GA}}$  remains an open problem.

<sup>3</sup>A function  $f$  is in the class #P if there exists an NP machine  $N$  such that  $f(x)$  equals the number of accepting paths in the computation of  $N(x)$ .

<sup>4</sup>Considering the example of perfect matchings in bipartite graphs, one should not claim that the counting version of a problem being hard implies that the decision problem is hard. However, one might still argue that if the counting version of a problem is easy, then the decision problem might be easy.

cause the identity function is always an automorphism and there are at most  $n!$  permutations of the  $n$  vertices. Second, the set of automorphisms of  $G$  forms a subgroup of  $S_n$ , the set of all permutations of  $\{1, \dots, n\}$  under composition. This group structure can be exploited in many ways. For example, from LaGrange's Theorem, we know that  $\#GA(G)$  must divide  $n!$ , hence  $\#GA(G)$  cannot have factors larger than  $n$ . Thus, given  $\#GA(G)$  as input, it is possible to obtain a complete prime factorization of  $\#GA(G)$  in polynomial time. The following observations about  $\#GA$  and prime numbers will be needed throughout the paper.

**Lemma 1** *Let  $G$  be a graph with  $n$  vertices. For  $i \geq 1$ , let  $m_i$  be the  $i$ th smallest prime number larger than  $n$ .*

1.  $\#GA(G)$  divides  $n!$ .
2.  $m_i$  does not divide  $\#GA(G)$ .
3. There exists a prime  $p$  such that  $m_i < p < 2m_i$ .
4. For  $n \geq 17$ ,  $m_i \leq 2(n \log n + i \log i)$ .
5.  $m_i$  can be computed in time  $n^{O(1)} + i^{O(1)}$ .

**Proof of Lemma 1** Parts 1 and 2 follow from the preceding discussion. Part 3 is just Bertrand's Postulate [HW79] (that there exists a prime number between  $x$  and  $2x$ ). Part 4 can be derived easily from a result of Rosser and Schoenfeld [RS62], which states that the number of primes less than  $x$  is between  $x/\ln x$  and  $1.25506x/\ln x$ , for  $x \geq 17$ . (These are estimates for the constants in the Prime Number Theorem.) Part 5 follows from Part 4, because  $m_i$  is polynomial in  $n$  and  $i$ . Since we can list all the primes below a number  $x$  in time polynomial in  $x$  (not the length of  $x$ ),  $m_i$  can be found in time polynomial in  $n$  and  $i$ .

**Proof of Lemma 1**  $\square$

<sup>2-7</sup> Thus,  $\#GA$  cannot take on every value between 1 and  $n!$  since some of these numbers cannot be the order of a subgroup of  $S_n$ . This leads us to "enumerability" as a measure of complexity. The concept of enumerability in computational complexity theory was introduced independently by Beigel [Bei87a] and by Cai and Hemachandra [CH89] then later modified by Amir, Beigel, and Gasarch [ABG90].

Definition 1-1

**Definition 1** Let  $b : \mathbb{N} \rightarrow \mathbb{N}$  be polynomially bounded. A function  $f$  is  $b(n)$ -enumerable if there exists a polynomial-time computable function  $g$ , such that for all  $x$ ,  $g(x)$  outputs a list of at most  $b(|x|)$  values, one of which is  $f(x)$ . A function  $f$  is poly-enumerable if  $f$  is  $b(n)$ -enumerable for some polynomial  $b$ .

Definition 1-2

For super-polynomial  $b : \mathbb{N} \rightarrow \mathbb{N}$ ,  $f$  is  $b(n)$ -enumerable if there exists a polynomial-time computable function  $g$ , such that for all  $x$ ,  $f(x)$  is one of the  $b(|x|)$  values in the sequence  $g(x, 0), g(x, 1), \dots, g(x, b(|x|) - 1)$ . (Here we assume that the second input to  $g$  is written in binary.)

2-8

Intuitively, we think of the enumerability of functions as a generalization of approximability. For example, suppose a function  $f : \mathbb{N} \rightarrow \mathbb{N}$  is approximable within a factor of 2. Then, there is a polynomial-time computable function, which, for all  $x$ , outputs a value  $y$  and guarantees that  $y \leq f(x) \leq 2y$ . Thus, the set of possible values of  $f(x)$  is restricted to the numbers between  $y$  and  $2y$ . For enumerability, the set of possible values does not have to be an interval. Another difference between enumerability and approximability is that in approximability the number of possible values is “output sensitive” — i.e., the number of possible values of  $f(x)$  depends directly on  $f(x)$  rather than  $x$ . In addition, approximability is only meaningful when there is a natural total ordering on the range of the function, whereas enumerability makes sense in a broader setting.

2-9

The algorithm that computes #GA in polynomial time using a GI oracle is a group-theoretic algorithm and proceeds roughly as follows (see [Hof79, KST93] for details). Let  $A$  be the automorphism group of a graph  $G$ . Consider a tower of subgroups of  $A$

$$I = A^{(n)} \leq A^{(n-1)} \leq \dots \leq A^{(1)} \leq A^{(0)} = A,$$

where  $I$  is the trivial group containing only the identity permutation and  $\leq$  denotes the subgroup relation. Here,  $A^{(i)}$  is the subgroup of *pointwise stabilizers* of  $\{1, \dots, i\}$  in  $A$  — i.e., the set of permutations  $\psi \in A$  such that for all  $j$ , with  $1 \leq j \leq i$ ,  $\psi(j) = j$ . The order of the group  $A$  can then be determined by iteratively computing the order of the subgroups  $A^{(n)}, A^{(n-1)}, \dots, A^{(0)}$ . This iterative procedure relies on the fact that a labeled isomorphism between two graphs can be constructed in polynomial time using a GI oracle. A labeled graph isomorphism between graphs  $G$  and  $H$  with  $n$  vertices is a permutation of  $\{1, \dots, n\}$  that preserves the edge relations of  $G$  and  $H$  as well as labels assigned to vertices of  $G$  and  $H$ . For

example, if we label both vertex  $j$  in  $G$  and vertex  $j$  in  $H$  with the label  $\ell_j$  for  $1 \leq j \leq i$ , then we can guarantee that any labeled isomorphism between  $G$  and  $H$  is in fact a pointwise stabilizer of  $\{1, \dots, i\}$ . This result occurs because any labeled isomorphism is forced to map vertex  $j$  in  $G$  to vertex  $j$  in  $H$  for  $1 \leq j \leq i$ . The labels on the vertices of a labeled graph can be simulated in an unlabeled graph by attaching large cliques or long cycles to the vertices. In the example above, the label  $\ell_j$  assigned to vertex  $j$  can be simulated in an unlabeled graph by attaching a cycle of  $n + j$  new vertices to vertex  $j$  by using a single edge. Again, any isomorphism between  $G$  and  $H$  must map vertex  $j$  in  $G$  to vertex  $j$  in  $H$  for  $1 \leq j \leq i$ . Note that if the original graphs  $G$  and  $H$  are planar, then the simulated labeled graphs are also planar. Since planar graph isomorphism can be computed in polynomial time [HT71, HW74], this procedure also computes  $\#GA(G)$  for planar graphs in polynomial time. Similarly, the simulated labeling scheme applied to bounded genus graphs does not change the genus of the graph. Thus,  $\#GA(G)$  can also be computed in polynomial time for bounded genus graphs. Attaching a long cycle to a vertex in a bounded-degree graph will increase the degree of the vertex by 1. So,  $\#GA(G)$  is again polynomial-time computable for bounded degree graphs. Thus, in each of these special cases,  $\#GA(G)$  is in fact 1-enumerable.<sup>5</sup>

2-10

There do exist functions that cannot be polynomially enumerated unless some intractibility assumptions are violated. For example, Cai and Hemachandra showed that unless  $P = PP$ , the function  $\#SAT$  is not  $n^\epsilon$ -enumerable for  $\epsilon < 1$ .<sup>6</sup> This result was improved independently by Cai and Hemachandra [CH91] and by Amir, Beigel, and Gasarch [ABG90], who showed that  $P = PP$  if and only if  $\#SAT$  is  $p(n)$ -enumerable for some polynomial  $p$ . Moreover, Amir, Beigel, and Gasarch [ABG90] proved that unless the Polynomial Hierarchy collapses to its fourth level,  $\#SAT$  is not  $2^{n^\epsilon}$ -enumerable for  $\epsilon < 1$ . Since  $\#SAT$  is clearly  $2^n$ -enumerable, these results show tight upper and lower bounds on the enumerability of  $\#SAT$ , if we assume that PH does not collapse.

2-11

In the present paper, we investigate the enumerability of  $\#GA$ . Our motivation for studying the enumerability of  $\#GA$  is twofold. First, the

<sup>5</sup>It is not clear to the authors how this labeling scheme would affect graphs with bounded eigenvalue multiplicity.

<sup>6</sup>PP is the class of languages recognized by probabilistic polynomial-time Turing machines with unbounded two-sided error. Since PP contains NP, the conclusion  $P = PP$  is generally considered to be unlikely.

results mentioned above, combined with Toda's theorem that every set in PH reduces to #SAT [Tod91], show that #GA cannot be #P-complete unless PH collapses to  $P^{\text{NP}}$  (actually to  $P^{\text{GI}}$ ). Therefore, the enumerability properties of #GA might be very different from those of #SAT. Also, connections between the enumerability of #GA and the complexity of GI might help us obtain a better classification of the Graph Isomorphism problem.

2-12 Throughout the paper, we use the number of vertices in a graph as the measure of the size of the input. We do this to simplify the terminology even though the length of the encoding of a graph could be as long as  $n^2$ . In certain cases, this convention does have an effect on our results. For example, Theorem 1 is stated for  $\epsilon < 1/2$ ; without this convention, the statement would be  $\epsilon < 1/4$ .

### 3 Combining Lemma

3-1 In this section we show how to combine many instances of GI into one instance of #GA. This lemma will be used in the proofs of the main theorems of Sections 4 and 5. First, we need to define the notion of reductions between two functions (as opposed to sets).

**Definition 2** (Krentel [Kre88]) Let  $f$  and  $g$  be two functions. We say that  $f$  reduces to  $g$ , written  $f \leq_m^p g$ , if there exist two polynomial-time computable functions  $S$  and  $T$  such that

$$f(x) = S(x, g(T(x))).$$

3-2 Intuitively,  $f \leq_m^p g$  implies that  $f$  is easier than  $g$ , because  $g$  provides enough information for a polynomial-time function to compute  $f$ . These reductions are also called *metric reductions* in the literature.

3-3 To simplify our notation, we will also use the following notational device for generalized characteristic functions. For a set  $A$  and an ordered list  $x_1, \dots, x_r$  of instances of  $A$ , the function  $\chi^A(x_1, \dots, x_r)$  outputs a sequence of  $r$  bits such that the  $i$ th bit is 1 if and only if  $x_i \in A$ . Note that  $r$  does not have to be constant here.

3-4 Now, we are ready to prove the Combining Lemma. This key lemma allows us to construct a graph  $\mathcal{F}$  from  $q$  instances of the Graph Isomorphism problem,  $(G_1, H_1), \dots, (G_q, H_q)$ , such that #GA( $\mathcal{F}$ ) provides enough information to determine in polynomial time whether  $G_i$  is isomorphic to  $H_i$  for each instance  $(G_i, H_i)$ .




Figure 1: Combining  $r_i$  copies of  $G_i$  and  $H_i$

**Lemma 2 (Combining Lemma)** *There exist polynomial-time functions  $T$  and  $S$  such that  $\chi^{\text{GI}} \leq_m^p \#\text{GA}$  via  $T$  and  $S$ . Furthermore, in the case where the ordered list  $\mathcal{Q} = \langle (G_1, H_1), \dots, (G_q, H_q) \rangle$  consists of pairs of graphs with  $n$  vertices, the following hold for the graph  $\mathcal{F}$  output by  $T(\mathcal{Q})$ .*

1. *The  $\mathcal{F}$  has  $O(n^2q \log n + nq^2 \log q)$  vertices.*
2. *The output of  $S(\mathcal{Q}, \#\text{GA}(\mathcal{F}))$  can be computed from  $(n, q, \#\text{GA}(\mathcal{F}))$ .*

*Proof of Lemma 2-1*

**Proof of Lemma 2** In the construction below, the running time of  $T$  will be polynomial in  $|\mathcal{Q}|$ , which is polynomial in  $n+q$ . This allows for the possibility that  $\mathcal{Q}$  has many small graphs. In the first step of the construction, we find  $m_1, \dots, m_q$ , the  $q$  prime numbers immediately following the number  $n$ . Let  $r_i = (m_i + 1)/2$ . Assuming that each graph in  $\mathcal{Q}$  has at least 2 vertices,  $r_i$  is an integer. For each  $i$ ,  $1 \leq i \leq q$ , we construct a graph  $C_i$  as follows. Take  $r_i$  copies of  $G_i$ ,  $r_i$  copies of  $H_i$ , and a complete graph with  $2r_i$  new vertices  $a_1, \dots, a_{2r_i}$ . Connect each vertex in the  $j$ th copy of  $G_i$  to  $a_j$ . Connect each vertex in the  $j$ th copy of  $H_i$  to  $a_{r_i+j}$ . (See Figure 1.) Call the resulting graph  $C_i$ .

*Proof of Lemma 2-2*

Now, suppose that  $G_i$  is isomorphic to  $H_i$ . Then every automorphism of  $C_i$  can be formed by a permutation of the vertices in  $\{a_1, \dots, a_{2r_i}\}$  followed

by an automorphism of each copy of  $G_i$  and  $H_i$ . Hence

$$\#\text{GA}(C_i) = (2r_i)! (\#\text{GA}(G_i))^{2r_i}.$$

Since  $2r_i = m_i + 1$ , the prime number  $m_i$  divides  $\#\text{GA}(C_i)$ .

*Proof of Lemma 2-3*

On the other hand, if  $G_i$  is *not* isomorphic to  $H_i$ , then every automorphism of  $C_i$  can be formed by a permutation of the vertices in  $\{a_1, \dots, a_{r_i}\}$ , followed by a permutation of the vertices in  $\{a_{r_i+1}, \dots, a_{2r_i}\}$  and the automorphisms of each copy of  $G_i$  and  $H_i$ . In this case,

$$\#\text{GA}(C_i) = (r_i)! (r_i)! (\#\text{GA}(G_i))^{r_i} (\#\text{GA}(H_i))^{r_i}.$$

Since  $r_i < m_i$  and  $|G_i| = |H_i| = n < m_i$ , the prime number  $m_i$  does not divide  $\#\text{GA}(C_i)$ . In summary,

$$G_i \simeq H_i \iff m_i \text{ divides } \#\text{GA}(C_i). \quad (1)$$

*Proof of Lemma 2-4*

Let  $\mathcal{F}$  be the disjoint union of all the  $C_i$ , for  $1 \leq i \leq q$ . The output of the function  $T(\mathcal{Q})$  will be  $\mathcal{F}$ . Since each  $C_i$  has  $(m_i + 1)(n + 1)$  vertices, the total number of vertices in  $\mathcal{F}$  is

$$(n + 1) \sum_{i=1}^q (m_i + 1) < q(n + 1)(m_q + 1).$$

By Lemma 1 part 4, we know that  $m_q \leq 2(n \log n + q \log q)$ . Hence, we can bound the number of vertices in  $\mathcal{F}$  by  $O(n^2 q \log n + n q^2 \log q)$ .

*Proof of Lemma 2-5*

Now, we show how  $\#\text{GA}(\mathcal{F})$  can be used to compute  $\chi^{\text{GI}}(\mathcal{Q})$ . By the construction of  $\mathcal{F}$ ,

$$\#\text{GA}(\mathcal{F}) = \prod_{i=1}^q \#\text{GA}(C_i). \quad (2)$$

We also know that for all  $i$ ,  $1 \leq i \leq q$ ,

$$G_i \simeq H_i \Rightarrow m_i \text{ divides } \#\text{GA}(\mathcal{F}).$$

However, the converse may not hold because  $\#\text{GA}(C_j)$  for some  $j > i$  may contain  $m_i$  as a factor. Thus, to determine whether  $G_i \simeq H_i$  from  $\#\text{GA}(\mathcal{F})$ , these extraneous  $m_i$  factors (if they exist) must be removed. To do this, we start with the last  $C_i$ , namely  $C_q$ . Since  $m_j < m_q$  for all  $j < q$ , we know that

$$G_q \simeq H_q \iff m_q \text{ divides } \#\text{GA}(\mathcal{F}).$$

Now, if  $G_q \simeq H_q$ , then  $C_q$  contributes an  $(m_q + 1)!$  factor to  $\#GA(\mathcal{F})$ ; otherwise,  $C_q$  contributes an  $(r_i)!(r_i)!$  factor to  $\#GA(\mathcal{F})$ .

*Proof of Lemma 2-6*

To determine whether  $G_{q-1} \simeq H_{q-1}$  we need to remove the prime factors greater than  $n$  from  $\#GA(\mathcal{F})$  that came from  $\#GA(C_q)$ . Since  $\#GA(G_q)$  and  $\#GA(H_q)$  do not contain prime factors greater than  $n$ , the prime factors  $> n$  in  $\#GA(C_q)$  come from either  $(m_q + 1)!$  or  $(r_q)!(r_q)!$  depending on whether  $G_q \simeq H_q$  (which we have already determined). So, let

$$N_i = \begin{cases} \#GA(\mathcal{F}) & \text{if } i = q \\ \frac{N_{i+1}}{(m_{i+1} + 1)!} & \text{if } m_{i+1} \text{ divides } N_{i+1} \\ \frac{N_{i+1}}{(r_{i+1})!(r_{i+1})!} & \text{otherwise} \end{cases}$$

From the preceding discussion, it is clear that  $G_i \simeq H_i \iff m_i$  divides  $N_i$ . Thus, the function  $S$  can compute  $\chi^{GI}((G_1, H_1), \dots, (G_q, H_q))$  from  $\#GA(\mathcal{F})$ ,  $n$  and  $q$ , by finding  $m_1, m_2, \dots, m_q$  and calculating  $N_1, N_2, \dots, N_q$ .

**Proof of Lemma 2**  $\square$

## 4 $\#GA$ and $n^\epsilon$ -enumerability

*4-1*

The main theorem in this section shows that it is unlikely for  $\#GA$  to be  $n^\epsilon$ -enumerable because, for any  $\epsilon < 1/2$ ,  $\#GA$  is  $n^\epsilon$ -enumerable if and only if GI can be recognized in polynomial time. We begin with a review of two constructions from the literature. The first one shows that the Graph Isomorphism problem is “self-computable” in the sense that, given GI as an oracle, we can construct an isomorphism between two isomorphic graphs in polynomial time [KST93, Sch76]. We reproduce the proof of this well-known theorem because we need to make references to the construction in the proof and because we need to estimate the sizes of the graphs queried.

**Lemma 3** *There exists a polynomial-time Turing machine using GI as an oracle which finds an isomorphism between two graphs, if the graphs are isomorphic.*

*Proof of Lemma 3-1*

**Proof of Lemma 3** We prove that GI is “self-computable” by constructing a mapping between the vertices of two isomorphic graphs  $G$  and  $H$  and using

GI as an oracle. This “self-computable” property is similar to the disjunctive self-reducibility of SAT.<sup>7</sup> In the first stage of the construction, we find a vertex  $i_1$  in  $H$  such that there is an isomorphism between  $G$  and  $H$  mapping vertex 1 in  $G$  to vertex  $i_1$  in  $H$ . This is accomplished by trying all  $n$  vertices in  $H$  exhaustively and asking the GI oracle the  $n$  questions:

*Proof of Lemma 3-2*

Is there an isomorphism from  $G$  to  $H$  mapping vertex 1 to vertex  $i_1$ ?

Such questions can be transformed into queries to GI by attaching cycles with  $n + 1$  vertices to vertex 1 in  $G$  and vertex  $i_1$  in  $H$ . Thus, any isomorphism between the transformed graphs must map vertex 1 in  $G$  to vertex  $i_1$  in  $H$ . If such an isomorphism exists, the remaining  $n - 1$  stages of the construction assign vertices  $2, \dots, n$  in  $G$  to the vertices in  $H$  under the restriction that vertex 1 maps to vertex  $i_1$ . In stage  $k$  of the construction, vertex  $k$  in  $G$  and  $i_k$  in  $H$  will be attached to a cycle with  $n + k$  vertices.

**Proof of Lemma 3**    $\square$

**Remark 1** *It is convenient to think of the procedure described in the preceding proof as a self-reduction tree. The root of the tree, level 0, is labeled with the graphs  $(G, H)$ . Each vertex at level  $k$  has  $n - k$  children that represent the  $n - k$  possible assignments of vertex  $k$  in  $G$  to the  $n - k$  remaining vertices in  $H$ . These vertices are labeled with the corresponding transformed graphs. This tree has  $n!$  leaves, so we cannot construct the entire tree in polynomial time. However, at the leaves of the tree, every vertex of  $G$  is assigned to some vertex of  $H$ . Thus, in polynomial time we can determine whether the mapping represented by a leaf is indeed an isomorphism between  $G$  and  $H$ .*

4-2

In the proof of Theorem 1 below, our strategy is to traverse the self-reduction tree from the top down. Since the tree has exponentially many paths, we will need to identify some of the paths as dead-ends. The following combinatorial lemmas [Bei91, Owi89] will help us prune the tree and maintain a polynomial bound on the running time of the tree traversal.

---

<sup>7</sup>That is, given any Boolean formula  $F$ , consider the formula  $F_0$  obtained by replacing the first variable of  $F$  with the Boolean value FALSE and the formula  $F_1$  obtained by replacing the first variable with TRUE. Then,  $F \in \text{SAT}$  if and only if  $F_0 \in \text{SAT}$  or  $F_1 \in \text{SAT}$  (see [BDG88, Section 4.5] and [Sch85, Section 4.5]).

**Definition 3** For a collection  $\mathcal{C}$  of sets and a set  $X$ , we say  $X$  separates  $\mathcal{C}$  if for all  $S, S' \in \mathcal{C}$ ,  $S \neq S' \Rightarrow S \cap X \neq S' \cap X$ .

**Lemma 4** For a collection  $\mathcal{C}$  of sets, with  $|\mathcal{C}| = n \geq 1$ , there exists a set  $X$  that separates  $\mathcal{C}$ , where  $|X| \leq n - 1$ .

<sup>4-3</sup> The lemma below adapts Lemma 4 to show that if we have  $\ell$  vectors in  $\{0, 1\}^\ell$ , then the vectors can be uniquely identified by their values at  $\ell - 1$  coordinates. Thus, one of the coordinates is not needed to distinguish the vectors from each other. In the following, we use  $(\vec{b})_i$  to denote the  $i$ th component of a vector  $\vec{b} \in \Sigma^\ell$ .

**Lemma 5** Let  $m \leq \ell$  and  $\vec{b}_1, \dots, \vec{b}_m \in \{0, 1\}^\ell$ . There exists a coordinate  $k$  such that for all  $\vec{b}_i \neq \vec{b}_j$ , there exists  $t \neq k$  such that  $(\vec{b}_i)_t \neq (\vec{b}_j)_t$ . Moreover,  $k$  can be found in time polynomial in  $\ell$ .

**Proof of Lemma 5** It suffices to prove the case where  $m = \ell$ . Use Lemma 4 where  $\mathcal{C}$  is the collection of subsets of  $\{1, \dots, \ell\}$  represented by the bit vectors  $\vec{b}_1, \dots, \vec{b}_\ell$ . Let  $k$  be an element not contained in the separator  $X$ . Since  $X$  is a separator, each pair of bit vectors must differ at coordinates other than  $k$ . The coordinate  $k$  can be found in time polynomial in  $\ell$  because we can simply try all possible values for  $k$  and check each pair of  $\vec{b}_i$  and  $\vec{b}_j$ . This takes time  $O(\ell^4)$ .

**Proof of Lemma 5**  $\square$

<sup>4-4</sup> We are now ready to prove the main result of this section. The techniques used in this proof and in Lemma 5 are derived from results on enumerability and self-reducibility by Amir, Beigel, and Gasarch [ABG90].

**Theorem 1** For  $\epsilon < 1/2$ , the function  $\#GA$  is  $n^\epsilon$ -enumerable if and only if  $GI \in P$ .<sup>8</sup>

<sup>4-5</sup>

---

<sup>8</sup>Recall that the  $n$  in “ $n^\epsilon$ -enumerable” is the number of vertices in the graph. If  $n$  is the length of the encoding of the graph, we would need to further restrict  $\epsilon < 1/4$ .

Proof of Theorem 1-1

**Proof of Theorem 1** In Section 2, we outlined a polynomial-time algorithm for #GA that uses GI as an oracle. Thus, if  $GI \in P$ , then #GA is also computable in polynomial time. In this case, #GA would be 1-enumerable. Thus, we only need to show that, if #GA is  $n^\epsilon$ -enumerable, then  $GI \in P$ .

Proof of Theorem 1-2

Given two graphs  $G$  and  $H$  with  $n$  vertices, we search the self-reduction tree described above in stages. We maintain a list  $\mathcal{Q}$  of pairs of graphs from the self-reduction tree. Initially,  $\mathcal{Q}$  contains just the pair  $(G, H)$ . Throughout the tree-pruning procedure we maintain the invariant that  $G \simeq H$  if and only if  $\mathcal{Q}$  contains a pair of isomorphic graphs (i.e.,  $\chi^{GI}(\mathcal{Q})$  is not all zeroes). Also, the size of the list  $\mathcal{Q}$  will always be polynomially bounded. In the beginning of every stage of the tree pruning, we take each pair of graphs in  $\mathcal{Q}$  and replace it with its children in the self-reduction tree. We continue the replacement until  $\mathcal{Q}$  has at least  $q(n)$  pairs (for  $q(n) \geq n$  to be determined below).

Proof of Theorem 1-3

Let  $\mathcal{Q}' = \langle (G_1, H_1), \dots, (G_{q(n)}, H_{q(n)}) \rangle$  be the first  $q(n)$  pairs in  $\mathcal{Q}$ . Let  $m$  be an upper bound on the size of these graphs. We apply the Combining Lemma to construct the graph  $\mathcal{F}$  that has at most  $r = mq(n)^2 \log q(n)$  vertices. Then, we use the enumerator for #GA on  $\mathcal{F}$  to obtain a list of  $r^\epsilon$  numbers, one of which is #GA( $\mathcal{F}$ ). The function  $S$  in the Combining Lemma converts these numbers into a list of  $r^\epsilon$  vectors  $\vec{b}_1, \dots, \vec{b}_{r^\epsilon}$  in  $\{0, 1\}^{q(n)}$ , one of which is  $\chi^{GI}(\mathcal{Q}')$ . Now, suppose that  $\vec{b}_i \neq 0^{q(n)}$  for all  $i$ ,  $1 \leq i \leq r^\epsilon$ . Then, we know that  $\chi^{GI}(\mathcal{Q}') \neq 0^{q(n)}$ , so  $G$  must be isomorphic to  $H$ . Thus, we can halt the pruning procedure and accept. In the remaining case, we may assume that  $0^{q(n)}$  is one of the vectors in  $\vec{b}_1, \dots, \vec{b}_{r^\epsilon}$ . We will pick  $q(n)$  below so that  $r^\epsilon \leq q(n)$ . Then, Lemma 5 gives us a coordinate  $k$  such that for  $\vec{b}_i \neq \vec{b}_j$ , the vectors  $\vec{b}_i$  and  $\vec{b}_j$  differ on a coordinate other than  $k$ . Now, it cannot be the case that  $(G_k, H_k)$  is the only isomorphic pair of graphs in  $\mathcal{Q}'$  because, in that case,  $\chi^{GI}(\mathcal{Q}') = 0^{k-1}10^{q(n)-k}$ ; hence,  $\chi^{GI}(\mathcal{Q}')$  can only be distinguished from  $0^{q(n)}$  using the  $k$ th coordinate. Thus, the pruning process can safely remove the pair  $(G_k, H_k)$  from the list  $\mathcal{Q}$  and still guarantee that if  $\mathcal{Q}$  contains an isomorphic pair before pruning, then it also does after pruning.

Proof of Theorem 1-4

We continue removing items from  $\mathcal{Q}$  until it has fewer than  $q(n)$  pairs of graphs. Then we proceed to the next stage. After at most  $n$  stages, the pairs in  $\mathcal{Q}$  are leaves of the self-reduction tree, so we can compute  $\chi^{GI}(\mathcal{Q})$  in polynomial time. By the invariant we have maintained,  $G \simeq H$  if and only if  $\chi^{GI}(\mathcal{Q})$  is not all zeroes. Thus, we have shown that  $GI \in P$ .

Proof of Theorem 1-5

Finally, we need to show that by picking  $q(n)$  to be  $n^\alpha$  where  $\alpha > 1/(1 - 2\epsilon)$ , we can guarantee that  $r^\epsilon \leq q(n)$ . (The constant  $\alpha$  is positive since

$\epsilon < 1/2$ .) From the construction of the self-reduction tree in Lemma 3, we know that  $m$  is  $O(n^2)$  since the graphs  $G_i$  and  $H_i$  consist of  $n$  original vertices and cycles of size  $n + 1$  through  $2n$ . So,

$$r^\epsilon \leq (cn^2 \cdot q(n)^2 \cdot \log q(n))^\epsilon = (cn^2 \cdot n^{2\alpha} \cdot \alpha \log n)^\epsilon.$$

Thus,  $r^\epsilon < n^{2\epsilon+2\alpha\epsilon+\delta}$  for all  $\delta > 0$ . From our choice of  $\alpha$ , we know that

$$2\epsilon + 2\alpha\epsilon < 1 + 2\alpha\epsilon < \alpha.$$

Therefore,  $r^\epsilon \leq q(n)$ .

**Proof of Theorem 1**    $\square$

<sup>4-6</sup> Since it is generally believed that  $\text{GI} \notin \text{P}$ , the preceding theorem can also be interpreted as a lower bound on the enumerability of  $\#\text{GA}$ . We can also use the theorem to obtain a lower bound on the bounded query complexity of  $\#\text{GA}$ . The bounded query classes are defined as follows.

**Definition 4** *Let  $j(n)$  be a function and  $X$  be a set. A function  $f$  is in  $\text{PF}^{X[j(n)]}$  if there exists a polynomial-time oracle Turing machine that computes  $f$  using no more than  $j(n)$  queries to  $X$  on inputs of length  $n$ .*

<sup>4-7</sup> Counting the number of oracle queries has been established as a useful complexity measure. For example, the number of queries to an NP oracle can be used to characterize the complexity of approximating NP-optimization problems [Cha96, CGL97]. The following fact shows that there is an intimate connection between the enumerability of a function and the bounded query complexity of that function.

**Fact 1** [Bei87b, Lemma 3.2] *Let  $f$  be any function and  $j(n)$  be a polynomial-time computable function. The following are equivalent:*

1. *There exists  $X$  such that  $f \in \text{PF}^{X[j(n)]}$ .*
2.  *$f$  is  $2^{j(n)}$ -enumerable.*

<sup>4-8</sup> Using Fact 1 we can obtain a lower bound on the number of queries needed to compute  $\#\text{GA}$ , assuming that  $\text{GI} \notin \text{P}$ .

**Corollary 1** *Let  $\epsilon < 1/2$ . If there exists an  $X$  such that  $\#\text{GA} \in \text{PF}^{X[\epsilon \log n]}$ , then  $\text{GI} \in \text{P}$ .*

## 5 #GA and poly-enumerability

<sup>5-1</sup> Assuming that  $\text{GI} \notin \text{P}$ , the main result in the previous section is a “non-enumerability” result. In general, we would like to prove stronger non-enumerability results for #GA. For example, Amir, Beigel, and Gasarch [ABG90] were able to prove that #SAT is not  $2^{n^\epsilon}$ -enumerable for  $\epsilon < 1$  unless the Polynomial Hierarchy collapses. We cannot use their machinery for the case of #GA because it turns out that #GA is actually  $\exp(O(\sqrt{n \log n}))$ -enumerable. Instead, we adapt the techniques of Goldwasser, Micali, and Rackoff [GMR89] to show that #GA cannot be poly-enumerable unless  $\text{GI} \in \text{R}$ .<sup>9</sup>

<sup>5-2</sup> Goldwasser, Micali, and Rackoff showed that Graph Non-Isomorphism, the complement of GI, can be recognized by a two-round interactive protocol. We briefly review this protocol in order to motivate the proof of Theorem 2. There are two parties involved in the interactive protocol: an all-powerful prover and a randomized polynomial-time verifier. The verifier asks the prover to convince him that the input graphs  $(G, H)$  are *not* isomorphic as follows. In secret, the verifier randomly picks one of  $G$  and  $H$  along with a random permutation  $\psi$ . He applies  $\psi$  to either  $G$  or  $H$ , whichever one he picked, and obtains a new graph  $X$ . Then, the verifier asks the prover whether  $X$  is a permuted version of  $G$  or of  $H$ . If  $G$  and  $H$  are not isomorphic, the all-powerful prover simply checks if  $G \simeq X$  or if  $H \simeq X$  and provides the appropriate answer. On the other hand, if  $G$  and  $H$  are isomorphic,  $X$  can be a permuted version of either graph. In that case, the prover can only provide the correct answer with probability one-half. Thus, if  $G \not\simeq H$ , there exists a prover who can always convince the verifier to accept. Conversely, if  $G \simeq H$ , no prover (even one that “lies”) can convince the verifier to accept with greater than 50 percent probability.

<sup>5-3</sup> In the proof below, our randomized algorithm for GI will play the role of the verifier, and the enumerator for #GA will play the role of the prover. However, unlike the prover in an interactive protocol, the enumerator provides several answers at once.<sup>10</sup> Thus, it is possible for the enumerator to give two answers at the same time: one that corresponds to  $G \simeq H$  and one to  $G \not\simeq H$ . We cope with this situation by emulating the interactive

---

<sup>9</sup>We were motivated in part by Lozano and Torán [LT93, Theorem 5.1], who also used this technique in their proof.

<sup>10</sup>Another difference is that the enumerator cannot “lie” in the same manner as the prover because one of the answers it provides must be the correct value of #GA.

protocol many times in parallel. Thus, instead of picking one permutation  $\psi$  and forming one permuted graph  $X$ , we pick  $q(n)$  permutations  $\psi_1, \dots, \psi_{q(n)}$  and form  $q(n)$  graphs  $X_1, \dots, X_{q(n)}$ , each of which is a permutation of either  $G$  or  $H$ .

**Notation 1** For each permutation  $\psi \in S_n$ , we use  $\psi(G)$  to denote the graph obtained by re-labeling the vertices of  $G$  using  $\psi$ . Given two permutations  $\psi, \rho \in S_n$ , we define  $\psi \circ \rho \in S_n$  to be the functional composition of  $\psi$  and  $\rho$  — i.e.,  $(\psi \circ \rho)(G) = \psi(\rho(G))$ .

**Theorem 2** If #GA is poly-enumerable, then GI  $\in$  R.

*Proof of Theorem 2-1*

**Proof of Theorem 2** Assuming that #GA is  $p(n)$ -enumerable via an enumeration function  $g$ , we will construct a randomized polynomial-time algorithm to decide whether the input graphs  $G$  and  $H$  are isomorphic. Let  $n$  be the number of vertices in  $G$  and  $H$  and let  $q(n) \geq n$  be a polynomial to be specified later. As discussed above, we randomly pick  $q(n)$  permutations  $\psi_1, \dots, \psi_{q(n)}$  from  $S_n$  and, for each  $\psi_i$ , permute either  $G$  or  $H$ . Our choice of applying  $\psi_i$  to either  $G$  or  $H$  can be represented by a single bit. So, a bit vector  $\vec{b} \in \{0, 1\}^{q(n)}$  and the permutations  $\psi_1, \dots, \psi_{q(n)}$  fully specify our random choices. Let  $b_i$  be the  $i$ th bit of  $\vec{b}$  and  $X_i$  be the result of applying the permutation  $\psi_i$ ; that is,

$$X_i = \begin{cases} \psi_i(H) & \text{if } b_i = 0 \\ \psi_i(G) & \text{if } b_i = 1. \end{cases}$$

*Proof of Theorem 2-2*

Now, consider the instances of the graph isomorphism problem:  $(G, X_1), \dots, (G, X_{q(n)})$ . Note that, if  $G$  is not isomorphic to  $H$ , then

$$\chi^{\text{GI}}((G, X_1), \dots, (G, X_{q(n)})) = \vec{b},$$

since  $G$  is isomorphic to  $X_i$  only when  $X_i = \psi_i(G)$ . On the other hand, if  $G$  is isomorphic to  $H$ , then our choice of applying  $\psi_i$  to  $G$  or  $H$  does not change whether  $G$  is isomorphic to  $X_i$ . So, in this case,

$$\chi^{\text{GI}}((G, X_1), \dots, (G, X_{q(n)})) = 1^{q(n)}.$$

*Proof of Theorem 2-3*

Next, we use the Combining Lemma on  $(G, X_1), \dots, (G, X_{q(n)})$  to construct a graph  $\mathcal{F}$  such that #GA( $\mathcal{F}$ ) provides enough information to compute  $\chi^{\text{GI}}((G, X_1), \dots, (G, X_{q(n)}))$ . Let  $r(n)$  be a polynomial upper bound

on the number of vertices in  $\mathcal{F}$ . If we could compute  $\#GA(\mathcal{F})$  directly, then we could immediately determine whether  $G \simeq H$  by checking whether  $\#GA(\mathcal{F})$  corresponds to the case where  $\chi^{\text{GI}}((G, X_1), \dots, (G, X_{q(n)}))$  is  $\vec{b}$  or  $1^{q(n)}$ .<sup>11</sup> However, we cannot compute  $\#GA(\mathcal{F})$  directly, so we use the enumerator for  $\#GA(\mathcal{F})$  instead. Let  $T$  and  $S$  be the reduction functions from the Combining Lemma. (We used  $T$  on  $(G, X_1), \dots, (G, X_{q(n)})$  to obtain the graph  $\mathcal{F}$ .) Since we assume that  $\#GA$  is  $p(n)$ -enumerable, in polynomial time we can compute  $g(\mathcal{F})$ , a set of polynomially many values, one of which is  $\#GA(\mathcal{F})$ . For each value in  $g(\mathcal{F})$ , we use the  $S$  function from the Combining Lemma to determine a possible value for  $\chi^{\text{GI}}((G, X_1), \dots, (G, X_{q(n)}))$ . Call the set of all such values

$$\text{POSS} = \{ S(n, q(n), N) \mid N \in g(\mathcal{F}) \}.$$

If  $G \not\simeq H$ , then  $\vec{b} = \chi^{\text{GI}}((G, X_1), \dots, (G, X_{q(n)}))$ . Thus,  $\vec{b}$  must be an element of POSS since  $\chi^{\text{GI}}((G, X_1), \dots, (G, X_{q(n)}))$  is always an element of POSS. On the other hand, if  $G \simeq H$ , then  $\vec{b} \in \text{POSS}$  occurs with very low probability. (This will be proven below.) Therefore, the strategy for our randomized algorithm is to accept  $(G, H)$  if and only if  $\vec{b} \notin \text{POSS}$ . Figure 2 summarizes Procedure R-ISO, the randomized algorithm to determine whether  $G \simeq H$ .

*Proof of Theorem 2-4*

If  $G \not\simeq H$ , then Procedure R-ISO outputs NO with probability 1. We need to show that, if  $G \simeq H$ , then Procedure R-ISO outputs YES with high probability. Intuitively, it is unlikely for  $\vec{b} \in \text{POSS}$  when  $G \simeq H$  because POSS is completely determined by  $\mathcal{F}$  and the same  $\mathcal{F}$  can be the result of exponentially many random choices. We prove this formally by showing that for each of choice of  $\vec{b}$  and  $\psi_1, \dots, \psi_{q(n)}$  made by Procedure R-ISO, there is a block of  $2^{q(n)}$  random choices that produces the same graph  $\mathcal{F}$ . Each random choice within a block has a distinct  $\vec{b}$ . Thus, within each block, the probability that  $\vec{b} \in \text{POSS}$  is at most  $p(r(n))/2^{q(n)}$ . Furthermore, we will show that the blocks form a partition of the set of all random choices made by Procedure R-ISO. Thus, the overall probability that  $\vec{b} \in \text{POSS}$  is also bounded by  $p(r(n))/2^{q(n)}$ .

*Proof of Theorem 2-5*

The blocks are defined as follows. Assume that  $G$  is isomorphic to  $H$ . Since permutations are invertible, for every graph  $Y$  isomorphic to  $G$ , there exists a permutation  $\rho$  such that  $\rho(H) = Y$ . Now, fix a sequence of permutations  $\sigma_1, \dots, \sigma_{q(n)} \in S_n$  and let  $Y_i = \sigma_i(G)$ . Let  $\rho_1, \dots, \rho_{q(n)}$  be the

<sup>11</sup>The exception is the pathological case where we chose  $\vec{b} = 1^{q(n)}$ . However, this case only occurs with probability  $1/2^{q(n)}$ .

Procedure R-ISO( $G, H$ )

1. Randomly pick  $\vec{b} \in \{0, 1\}^{q(n)}$  and  $\psi_1, \dots, \psi_{q(n)} \in S_n$ .
2. Use the Combining Lemma to construct

$$\mathcal{F} = T((G, X_1), \dots, (G, X_{q(n)})).$$

3. Use  $g$  to generate the possible values of  $\#\text{GA}(\mathcal{F})$ .
4. Compute the set  $\text{POSS} = \{S(n, q(n), N) \mid N \in g(\mathcal{F})\}$ .
5. If  $\vec{b} \notin \text{POSS}$  then output YES, otherwise output NO.

Figure 2: Randomized procedure to determine whether the graphs  $G$  and  $H$  are isomorphic.

corresponding permutations such that  $\rho_i(H) = Y_i$ . Let  $\vec{b}$  be any bit vector chosen by Procedure R-ISO. Then, there exists a choice of  $\psi_1, \dots, \psi_{q(n)}$  such that the graph  $X_i$  constructed in Procedure R-ISO is exactly  $Y_i$ , namely:

$$\psi_i = \begin{cases} \rho_i & \text{if } b_i = 0 \\ \sigma_i & \text{if } b_i = 1. \end{cases}$$

Furthermore, if we fix an isomorphism  $\tau$  from  $H$  to  $G$ , the permutation  $\psi_i$  is completely determined by  $b_i$  and  $\sigma_i$  — i.e.,  $\psi_i = \sigma_i \circ \tau$  if  $b_i = 0$  and  $\psi_i = \sigma_i$  if  $b_i = 1$ . Thus, we can associate the permutations  $\sigma_1, \dots, \sigma_{q(n)}$  with a block of  $2^{q(n)}$  random choices for Procedure R-ISO (since there are  $2^{q(n)}$  different bit vectors  $\vec{b}$ ). To see that every choice of  $\vec{b}$  and  $\psi_1, \dots, \psi_{q(n)}$  corresponds to some block, simply note that we can set  $\sigma_i = \psi_i \circ \tau^{-1}$  if  $b_i = 0$  and  $\sigma_i = \psi_i$  if  $b_i = 1$ . This will again guarantee that  $Y_i = X_i$  for every  $i$ . Therefore, the blocks do form a partition of the set of all random choices made by Procedure R-ISO.

Finally, observe that for each of the  $2^{q(n)}$  distinct bit vectors  $\vec{b}$  in a block, the same instances of GI,  $(G, X_1), \dots, (G, X_{q(n)})$ , are constructed by Procedure R-ISO. Thus, the same set POSS is generated. Since POSS has  $p(r(n))$  elements and since  $p(r(n))$  is polynomially bounded, the probability that a randomly chosen  $\vec{b}$  is not an element of POSS is at least  $1 - \frac{p(r(n))}{2^{q(n)}}$ . Thus, for  $q(n)$  large enough, Procedure R-ISO will accept with high probability in

the case that  $G \simeq H$ .

**Proof of Theorem 2**  $\square$

5-4

As before, we can translate the non-enumerability of #GA into lower bounds on its bounded query complexity using Fact 1.

**Corollary 2** *If there exists an  $X$  such that #GA  $\in$  PF $^{X[O(\log n)]}$ , then GI  $\in$  R.*

## 6 Subexponential enumeration

6-1

The results of the preceding section can be interpreted as lower bounds on the enumerability of #GA since it seems unlikely that GI  $\in$  P or GI  $\in$  R. In this section we provide an upper bound on the enumerability of #GA by showing that #GA is  $\exp(O(\sqrt{n \log n}))$ -enumerable. Our enumerator will be oblivious. That is, given a graph  $G$  with  $n$  vertices and an index  $\ell$ , the output of this enumerator  $g(G, \ell)$  will depend only on  $n$  and  $\ell$ . We think of  $\ell$  as being an encoding of the order of a permutation group  $A$  of degree  $n$ . We must show that an appropriate encoding exists such that  $\ell$  takes space  $O(\sqrt{n \log n})$  and the function  $\ell \mapsto |A|$  is computable in polynomial time.

**Definition 5** *Let  $S_n$  be the group of all permutations of  $\Omega = \{1, \dots, n\}$  under composition. A subgroup  $A$  of  $S_n$ , written  $A \leq S_n$ , is also called a permutation group of degree  $n$  and  $\Omega$  is called the permutation domain of  $A$ . The order of the subgroup  $A$ , written  $|A|$ , is the number of permutations in  $A$ .*

**Lemma 6** *Let  $A$  be a subgroup of  $S_n$ . Let  $p_i$  be the  $i$ th prime. Then  $|A|$  must be of the form  $\prod_{i=1}^m p_i^{d_i}$  where*

1. for all  $i$ ,  $d_i \leq n$ .
2.  $m \leq n/\ln n + o(n/\ln n)$ .

**Proof of Lemma 6** Let  $m$  and  $d_1, \dots, d_m$  be such that  $|A| = \prod_{i=1}^m p_i^{d_i}$ . Since  $|A|$  is a divisor of  $n!$ , we know that for all  $i$ ,  $p_i^{d_i}$  divides  $n!$ . However, for any prime  $p$ , the highest power of  $p$  dividing  $n!$  is  $p^d$ , where

$$d = \sum_{j \geq 1} \left\lfloor \frac{n}{p^j} \right\rfloor < n \sum_{j \geq 1} \frac{1}{p^j} = \frac{n}{p-1} \leq n.$$

(This formula simply counts the number of positive integers up to  $n$  that are divisible by  $p$ ,  $p^2$ , and so on.) In particular, all the prime factors of  $|A|$  are  $\leq n$ . The Prime Number Theorem states that

$$\lim_{n \rightarrow \infty} \frac{\pi(n)}{n/\ln n} = 1,$$

where  $\pi(n)$  is the number of primes less than or equal to  $n$ . Thus,  $m \leq n/\ln n + o(n/\ln n)$ .

**Proof of Lemma 6**  $\square$

**Theorem 3**  $\#GA$  is  $\exp(O(\sqrt{n \log n}))$ -enumerable via an oblivious enumerator.

**Proof of Theorem 3** Let  $G$  be a graph. The set of automorphisms of  $G$  is a subgroup of  $S_n$ ; hence,  $\#GA(G)$  must be of the form specified in Lemma 6. We show how to enumerate all possible sizes of the subgroups of  $S_n$ . We describe this in the form of a compressed encoding of orders of subgroups of  $S_n$ , such that the encoding lengths are  $O(\sqrt{n \log n})$  and, given the encoding of  $|A|$ , we can compute  $|A|$  in polynomial time. One method would be to simply write down the binary representations of the  $d_i$ , for  $1 \leq i \leq \pi(n)$ . By Lemma 6, the number of bits used would be  $O(n)$ , which is too many. However, we will use this technique for “small” primes.

6-2 Let  $k = \sqrt{n \log n}$ . Then  $\pi(k) = O(k/\log n) = O(\sqrt{n/\log n})$ . For  $A \leq S_n$ , the first part of the encoding of  $A$  will consist of the binary representations of the  $d_i$  for  $p_i \leq k$ . This encoding uses  $O(\pi(k) \log n) = O(\sqrt{n \log n})$  bits, as desired. To encode the exponents of the larger primes, we must use detailed knowledge of the possible orders of subgroups of  $S_n$ . However, our task will be greatly simplified by the fact that we can now ignore the small primes.

6-3 Let  $\Omega$  denote  $\{1, \dots, n\}$ . For  $x \in \Omega$ ,  $x^A$  denotes the  $A$ -orbit of  $x$  defined by:

$$x^A = \{ y \in \Omega \mid (\exists \psi \in A)[y = \psi(x)] \}.$$

We say that an orbit is *trivial* if it has one element, and we say that  $A$  is *transitive* if  $\Omega$  is an orbit. In any case, the  $A$ -orbits partition  $\Omega$ . We describe two divide-and-conquer techniques based on this partition. Let  $\Delta = x^A$  be an  $A$ -orbit, and let  $A_x$  denote the subgroup  $\{ \psi \in A \mid \psi(x) = x \}$  of those permutations that fix  $x$ . It is well known that

$$|A| = |A_x| \cdot |\Delta|,$$

so if  $|\Delta|$  has only prime factors  $\leq k$ , we may replace  $A$  by  $A_x$  for the purposes of the second part of the encoding. We henceforth assume that all nontrivial orbits of  $A$  have orders divisible by some prime larger than  $k$  (so, in particular, there are at most  $\sqrt{n/\log n}$  nontrivial orbits). Actually, we make the more general assumption that, for any proper subgroup  $B$  of  $A$ , the index  $|A|/|B|$  is divisible by a prime larger than  $k$ .

6-4 Now suppose that  $|\Delta| = m$ , and let  $B$  be the subgroup of  $S_m$  obtained from  $A$  by ignoring the action outside of  $\Delta$ . That is,  $B$  consists of those permutations  $\psi \in S_m$  for which there exist  $\psi' \in A$  such that  $\psi'$  is an extension of  $\psi$ . Let  $A_\Delta$  denote the subgroup of  $A$  that fixes every point of  $\Delta$  (i.e.,  $A$  is the subgroup of pointwise stabilizers of  $\Delta$  in  $A$ ). Then  $|A| = |B| \cdot |A_\Delta|$ , and to encode  $|A|$  it suffices to first encode  $|B|$  and then recursively encode  $|A_\Delta|$ . The number of orbits  $\Delta$  that need to be considered is  $O(\sqrt{n/\log n})$ , so we must use no more than  $O(\log n)$  bits to encode  $|B|$ . To do this, we make great use of the fact that  $B$  is transitive.

6-5 Now suppose that  $\Delta_1, \dots, \Delta_r$  is a partition of  $\Delta$  with  $1 < r < m$  such that  $B$  permutes the  $\Delta_i$ . If several such partitions exist, then choose one that minimizes  $r$ . Then the partition is called a system of imprimitivity for  $B$ , and the  $\Delta_i$  are called blocks of imprimitivity. Since  $B$  acts transitively on the set of blocks,  $B$  has a subgroup of index  $r$ , from which we conclude that  $r$  is divisible by some prime  $p > k$ . Let  $N$  be the subgroup of  $B$  that fixes the blocks, i.e., any  $x \in N$  sends each  $\Delta_i$  to itself. Let  $K$  be the subgroup of  $S_r$  obtained from  $B$  by considering the action on the blocks. Then  $|B| = |N| \cdot |K|$ . In addition, every orbit of  $N$  has order less than  $k$ , so  $|N|$  is a product of primes whose values are at most  $k$ . Thus, to encode  $|B|$ , it suffices to encode  $|K|$ . By minimality of  $r$ ,  $K$  is *primitive*, i.e., preserves no nontrivial partition of the permutation domain.

6-6 Much is already known about the structure of primitive groups. The O’Nan–Scott Lemma [Cam81, Theorem 4.1] classifies them into several types. Many of these are ruled out by our assumption that the index of any proper subgroup of  $K$  is divisible by some prime larger than  $k$  (where  $k^2$  is bigger than  $r$ , the size of the permutation domain). In fact, it must be the case that  $K$  has a simple normal subgroup  $T$ . Further, either  $|T| = r$  and  $K$  is a subgroup of the automorphism group of  $T \times T$ , or  $K$  is a subgroup of the automorphism group of  $T$ . Following the Classification of Finite Simple groups, much is known about the permutation representations of finite simple groups [BKL83]. In particular, either  $T$  is one of polynomially many alternating or classical groups (each of which can be described by a string of

length  $O(\log n)$ ), or  $|K|$  is polynomially bounded. In the first case  $|K|/|T|$  is polynomially bounded, so in either case  $O(\log n)$  bits suffice to describe the order of  $K$ .

6-7 We summarize the encoding of  $|A|$ . First, we write down the binary representations of the exponents of the primes in  $|A|$  for all primes  $p \leq k$ . Then, we write down a sequence of  $O(n/k)$  pairs  $(\langle T \rangle, N)$ , where  $\langle T \rangle$  is an  $O(\log n)$ -length name of a group  $T$  that is either the trivial group or a classical group with a permutation representation of degree  $\leq n$  and  $N$  is a positive integer (written in binary) that is at most  $n^c$  for some constant  $c$ . For primes  $p > k$ , the  $p$ -part of  $|A|$  is the product of the  $p$ -parts of the  $N$ 's and the orders of the  $T$ 's. The order of  $T$  is given by an explicit formula, so  $|A|$  can be computed in polynomial time from its encoding. The first part of the encoding uses  $O(\pi(k) \log n)$  bits; the second part of the encoding uses  $O((n/k) \log n)$  bits. Both of these quantities are  $O(\sqrt{n \log n})$  as desired.

**Proof of Theorem 3**  $\square$

## 7 Discussion

7-1 Several open problems remain on the enumerability of  $\#GA$ . We have shown that if  $\#GA$  is poly-enumerable, then  $GI \in R$ . For SAT, we know that if  $\#SAT$  poly-enumerable, then  $P = PP$  [ABG90, CH91], which implies that  $SAT \in P$ . For  $\#GA$ , it remains open whether  $\#GA$  being poly-enumerable could imply that  $GI \in P$ . It might even be possible to show that, if  $\#GA$  is  $2^{n^\epsilon}$ -enumerable for some  $\epsilon < 1/2$ , then  $GI \in P$ . Such a theorem would not violate our upper bound that  $\#GA$  is  $\exp(O(\sqrt{n \log n}))$ -enumerable. Note that an analogous result for  $\#SAT$ , that  $\#SAT$  is  $2^{n^\epsilon}$ -enumerable implies  $SAT \in P$ , is not known.

7-2 While no polynomial-time algorithms for  $GI$  or  $\#GA$  have been discovered, algorithms with subexponential running time do exist. For example, there exists an algorithm with time complexity  $\exp(O(\sqrt{n \log n}))$  that computes the automorphism group and its generators [BKL83] (this is harder than solving  $GI$  and  $\#GA$ ). This algorithm combines the techniques of several authors including Babai, Luks, and Zemlyachenko. The bound on the running time is the same as the upper bound on the enumerability of  $\#GA$  that we achieved in Section 6. This striking observation brings up the possibility of the following time-enumeration trade-off. By allowing the enumerator to run for longer than polynomial time, for example, time

$\exp(O((n \log n)^a + \log n))$ , it might be possible to achieve  $\exp(O((n \log n)^b))$ -enumerability for  $a + b = 1/2$ . Note that the case  $a = 1/2$  is given by the subexponential-time algorithm mentioned above [BKL83], and the case  $a = 0$  is our upper bound. The case  $0 < a < 1/2$  is open.

7-3

We remark that for oblivious enumeration, our upper bound is tight up to some logarithmic factors in the exponent. To see this, let  $k = \sqrt{n \log n}$  as in Section 6. Since  $k\pi(k) = O(n)$ , the sum of the primes up to  $k$  is  $O(n)$ . By scaling  $k$  by a constant factor, we may achieve that  $\pi(k) = \Omega(\sqrt{n/\log n})$  and the sum of the primes less than  $k$  is  $\leq n$ . So, for any subset  $S$  of the primes  $p \leq k$ , there is a permutation group of degree  $n$  whose order is the product of the primes in  $S$  (the group is generated by disjoint cycles of prime lengths). This gives us  $\exp(\Omega(\sqrt{n/\log n}))$  different orders of permutation groups of degree  $n$ . It is straightforward to obtain the same lower bound for the number of distinct orders of automorphism groups of graphs of degree  $n$ . Thus, oblivious enumeration seems to have reached its limit, but it remains open whether or not a clever use of polynomial-time computable graph properties would yield a better, non-oblivious enumerator.

7-4

Finally, we note that the reduction of Section 5 can be used even if the enumeration is not polynomial. (It would yield a randomized algorithm for GI that has super-polynomial running time.) Roughly speaking, the reduction can be used as long as the enumerability is less than about  $\exp(n^{1/2-\epsilon})$  (so, not surprisingly, an oblivious enumerator is useless for this purpose). In order to beat the subexponential running time of the existing algorithm [BKL83], the enumerability would have to be about  $\exp(n^{1/4-\epsilon})$  (however, the enumerator would not have to be restricted to polynomial time).

## Acknowledgments

The authors would like to thank László Babai for helpful comments on the topics of this paper, and Dave Mount for proofreading.

**Acknowledgment of support:** Dr. Beals's work was supported in part by an NSF Mathematical Sciences Postdoctoral Fellowship and by the Alfred P. Sloan Foundation. Dr. Chang's work was supported in part by National Science Foundation grants CCR-9309137 and CCR-9610457, and by the University of Maryland Institute for Advanced Computer Studies. Dr. Gasarch's work was supported in part by National Science Foundation grant

CCR-9301339. Dr. Torán's work was done while he was at Dept. Llenguatges i Sistemes Informàtics, Universitat Politècnica de Catalunya, Pau Gargallo 5, E-08028 Barcelona, Spain, and was supported in part by the European Community through the Espirit BRA Program (project 7141, ALCOM II).

## References

- [ABG90] A. Amir, R. Beigel, and W. I. Gasarch. Some connections between bounded query classes and non-uniform complexity. In *Proceedings of the 5th Structure in Complexity Theory Conference*, pages 232–243. IEEE Computer Society Press, 1990. A much expanded version has been submitted to *Information and Computation* and is available via <http://www.eecs.lehigh.edu/~beigel/>.
- [BDG88] J. L. Balcázar, J. Díaz, and J. Gabarró. *Structural Complexity I*, volume 11 of *EATCS Monographs on Theoretical Computer Science*. Springer-Verlag, Berlin, 1988.
- [BDG90] J. L. Balcázar, J. Díaz, and J. Gabarró. *Structural Complexity II*, volume 22 of *EATCS Monographs on Theoretical Computer Science*. Springer-Verlag, Berlin, 1990.
- [Bei87a] R. Beigel. *Query-Limited Reducibilities*. PhD thesis, Stanford University, 1987. Also available as Report No. STAN-CS-88-1221.
- [Bei87b] R. Beigel. A structural theorem that depends quantitatively on the complexity of SAT. In *Proceedings of the 2nd Structure in Complexity Theory Conference*, pages 28–32. IEEE Computer Society Press, June 1987.
- [Bei91] R. Beigel. Bounded queries to SAT and the Boolean hierarchy. *Theoretical Computer Science*, 84(2):199–223, July 1991.
- [BKL83] L. Babai, W. M. Kantor, and E. M. Luks. Computational complexity and the classification of finite simple groups. In *Proceedings of the IEEE Symposium Foundations of Computer Science*, pages 162–171. IEEE Computer Society Press, 1983.

- [BYGM82] L. Babai, D. Yu, Y. Grigoryev, and D. Mount. Isomorphism of graphs with bounded eigenvalue multiplicity. In *ACM Symposium on Theory of Computing*, pages 310–324, 1982.
- [Cam81] P. J. Cameron. Finite permutation groups and finite simple groups. *Bulletin of the London Mathematical Society*, 13:1–22, 1981.
- [CGL97] R. Chang, W. I. Gasarch, and C. Lund. On bounded queries and approximation. *SIAM Journal on Computing*, 26(1):188–209, February 1997.
- [CH89] J. Cai and L. A. Hemachandra. Enumerative counting is hard. *Information and Computation*, 82(1):34–44, July 1989.
- [CH91] J. Cai and L. A. Hemachandra. A note on enumerative counting. *Information Processing Letters*, 38(4):212–219, 1991.
- [Cha96] R. Chang. On the query complexity of clique size and maximum satisfiability. *Journal of Computer and System Sciences*, 53(2):298–313, October 1996.
- [FM80] I. S. Filotti and J. N. Mayer. A polynomial-time algorithm for determining the isomorphism of graphs of fixed genus. In *ACM Symposium on Theory of Computing*, pages 236–243, 1980.
- [GMR89] S. Goldwasser, S. Micali, and C. Rackoff. The knowledge complexity of interactive proof systems. *SIAM Journal on Computing*, 18(1):186–208, 1989.
- [Hof79] C. M. Hoffman. *Group-Theoretic Algorithms and Graph Isomorphism*, volume 136 of *Lecture Notes in Computer Science*. Springer-Verlag, Berlin, 1979.
- [HT71] J. E. Hopcroft and R. E. Tarjan. A  $V^2$  algorithm for determining isomorphism of planar graphs. *Information Processing Letters*, 1(1):32–34, 1971.
- [HW74] J. E. Hopcroft and J. K. Wong. A linear time algorithm for isomorphism of planar graphs. In *ACM Symposium on Theory of Computing*, pages 172–184, 1974.

- [HW79] G. Hardy and E. Wright. *An Introduction to the Theory of Numbers*. Clarendon Press, Oxford, 5th edition, 1979.
- [Kre88] M. W. Krentel. The complexity of optimization problems. *Journal of Computer and System Sciences*, 36(3):490–509, 1988.
- [KST93] J. Köbler, U. Schöning, and J. Torán. *The Graph Isomorphism Problem: Its Structural Complexity*. Progress in Theoretical Computer Science. Birkhauser, Boston, 1993.
- [LT93] A. Lozano and J. Torán. On the nonuniform complexity of the graph isomorphism problem. In K. Ambos-Spies, S. Homer, and U. Schöning, editors, *Complexity Theory: Current Research*, pages 245–273. Cambridge University Press, Cambridge, 1993. Shorter version in *Proceedings of the 7th Structure in Complexity Theory Conference*, pages 118–129, June 1992.
- [Luk82] E. Luks. Isomorphism of bounded valence can be tested in polynomial time. *Journal of Computer and System Sciences*, 25:42–65, 1982.
- [Mat79] R. Mathon. A note on the graph isomorphism counting problem. *Information Processing Letters*, 8:131–132, 1979.
- [Mil80] G. L. Miller. Isomorphism testing for graphs of bounded genus. In *ACM Symposium on Theory of Computing*, pages 225–235, 1980.
- [Owi89] J. C. Owings, Jr. A cardinality version of Beigel’s nonspeedup theorem. *Journal of Symbolic Logic*, 54(3):761–767, September 1989.
- [RS62] J. B. Rosser and L. Schoenfeld. Approximate formulas for some functions of prime numbers. *Illinois Journal of Mathematics*, 6:64–94, 1962.
- [Sch76] C. P. Schnorr. Optimal algorithms for self-reducible problems. In *Proceedings of the 3rd International Colloquium on Automata, Language, and Programming (ICALP)*, pages 322–337, Edinburgh, 1976. Edinburgh University Press.

- [Sch85] U. Schöning. *Complexity and Structure*, volume 211 of *Lecture Notes in Computer Science*. Springer-Verlag, Berlin, 1985.
- [Sch89] U. Schöning. Probabilistic complexity classes and lowness. *Journal of Computer and System Sciences*, 39(1):84–100, December 1989.
- [Tod91] S. Toda. PP is as hard as the polynomial-time hierarchy. *SIAM Journal on Computing*, 20(5):865–877, October 1991.
- [Val79] L. G. Valiant. The complexity of computing the permanent. *Theoretical Computer Science*, 8:189–201, 1979.